


## bcl-6



760-4241
50 tests
Lymph Node, Tonsil
$IgG_1$
GI191E/A8
Mouse
Nuclear
: IVD

Anti-bcl-6 is a transcriptional regulator gene which codes for a 706-amino acid nuclear zinc finger protein. Antibodies to this protein stain the germinal center cells in lymphoidfollicles, the follicular and interfollicular cells in follicular lymphoma, diffuse large B-celllymphomas and Burkitt's lymphoma, and the majority of the Reed-Sternberg cells innodular lymphocyte predominant Hodgkin's Disease. In contrast, anti-bcl-6 rarely stains mantle cell lymphoma and MALT lymphoma. bcl-6 expression is seen in approximately 45% of CD30+ anaplastic large cell lymphomas but is consistently absent in other peripheral T-cell lymphomas.

## References

- 1. Dogan A, et al., Am J Surg Pathol. 24(6):846-852, 2000.
- 2. Shaffer AL, et al., Immunity. 13:199-212, 2000.
- 3. Kraus Md, et al., Am J Surg Pathol. 24(8):1068-78, 2000.
- 4. Carbone A, et al., Blood. 90(6):2445-2450, 1997.

## **Related Links**

- Cell Marque MSDS
- · bcl-6 Package Insert

© 2010 Ventana Medical Systems, Inc. <u>Terms and Conditions</u> <u>Privacy Policy</u> 19.07.2010

This website contains information on products which is targeted to a wide range of audiences and could contain product details or information otherwise not accessible or valid in your country. Please be aware that we do not take any responsibility for accessing such information which may not comply with any legal process, regulation, registration or usage in the country of your origin.