# Anti-Somatostatin Receptor 2 antibody [UMB1] ab134152





11 References 3 Images

#### **Overview**

Product name	Anti-Somatostatin Receptor 2 antibody [UMB1]		
Description	Rabbit monoclonal [UMB1] to Somatostatin Receptor 2		
Tested applications	WB, IP, IHC-P		
Species reactivity	Reacts with: Mouse, Rat, Human		
Immunogen	Synthetic peptide corresponding to residues on the C-terminal of Human Somatostatin Receptor 2 (P30874).		
Positive control	U937, INS-1, and sstr2 transfected HEK293 cell lysates, Human pancreas & brain tissue		
General notes	Produced using Abcam's RabMAb <sup>®</sup> technology. RabMAb <sup>®</sup> technology is covered by the following U.S. Patents, No. 5,675,063 and/or 7,429,487.		

## **Properties**

Form	Liquid		
Storage instructions	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid repeated freeze / thaw cycles.		
Storage buffer	pH: 7.40 Preservative: 0.01% Sodium azide Constituents: 50% Glycerol, 0.05% BSA		
Purity	Tissue culture supernatant		
Clonality	Monoclonal		
Clone number	UMB1		
Isotype	lgG		

## **Applications**


Cellular localization

Our Abpromise guarantee covers the use of ab134152 in the following tested applications.

The application notes include recommended starting dilutions; optimal dilutions/concentrations should be determined by the end user.

The application notes include recommended starting dilutions, optimal dilutions/concentrations should be determined by the end user.				
Application	Abreviews	Notes		
WB		1/1000 - 1/10000. Predicted molecular weight: 41 kDa.Can be blocked with Somatostatin Receptor 2		
		peptide (ab171899).		
<u>IP</u>		1/10 - 1/100.		
IHC-P		1/100 - 1/250. Perform heat mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC		
		staining protocol.		
Application notes	ls unsuitable fo	Is unsuitable for Flow Cyt or ICC.		
Target				
Function	of adenylyl cyc as well as sen	Receptor for somatostatins-14 and -28. This receptor is coupled via pertussis toxin sensitive G proteins to inhibition of adenylyl cyclase. In addition it stimulates phosphotyrosine phosphatase and PLC via pertussis toxin insensitive as well as sensitive G proteins. In RIN-5F cells, this receptor inhibits calcium entry by suppressing voltage dependent calcium-channels.		
Tissue specificity	Cerebrum and	Cerebrum and kidney. In lesser amounts in jejunum, colon and liver.		
Sequence similarities	Belongs to the	Belongs to the G-protein coupled receptor 1 family.		

# Anti-Somatostatin Receptor 2 antibody [UMB1] images



Western blot - Anti-Somatostatin Receptor 2 antibody [UMB1] (ab134152)

**All lanes**: Anti-Somatostatin Receptor 2 antibody [UMB1] (ab134152) at 1/1000 dilution

Lane 1: U937 cell lysates

Lane 2: INS-1 cell lysates


Lane 3: sstr2 transfected HEK293 cell lysates

Lysates/proteins at 10 µg per lane.

#### Secondary


HRP labelled goat anti-rabbit at 1/2000 dilution

Predicted band size: 41 kDa



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Somatostatin Receptor 2 antibody [UMB1] (ab134152)

Immunohistochemical analysis of paraffin embedded Human pancreas tissue labelled with ab134152 at 1/100 dilution.



Immunohistochemistry (Formalin/PFA-fixed paraffinembedded sections) - Anti-Somatostatin Receptor 2 antibody [UMB1] (ab134152)

Immunohistochemical analysis of paraffin embedded Human brain tissue labelled with ab134152 at 1/100 dilution.

Please note: All products are "FOR RESEARCH USE ONLYAND ARE NOT INTENDED FOR DIAGNOSTIC OR THERAPEUTIC USE"

Our Abpromise to you: Quality guaranteed and expert technical support

#### **Product Datasheet**

- Replacement or refund for products not performing as stated on the datasheet
- Valid for 12 months from date of delivery\*\*
- Response to your inquiry within 24 hours
- We provide support in Chinese, English, French, German, Japanese and Spanish
- Extensive multi-media technical resources to help you
- We investigate all quality concerns to ensure our products perform to the highest standards

If the product does not perform as described on this datasheet, we will offer a refund or replacement. For full details of the Abpromise, please visit http://www.abcam.com/abpromise or contact our technical team.

## **Terms and conditions**

- Guarantee only valid for products bought direct from Abcam or one of our authorized distributors
- \*\*Regional variations to our Abpromise may apply to the following countries: China, Korea, Singapore, Malaysia, Taiwan and Thailand, which operate a 120 day guarantee. Please contact your regional office for further details

Visit us at: www.abcam.com